

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Fallaux et al.

Serial No.: 10/038,271

Filed: October 23, 2001

For: PACKAGING SYSTEMS FOR
HUMAN RECOMBINANT ADENOVIRUS
TO BE USED IN GENE THERAPY

Confirmation No.: 8381

Examiner: D. Nguyen


Group Art Unit: 1632

Attorney Docket No.: 2578-3833.6US

CERTIFICATE OF MAILING

I hereby certify that this correspondence along with any attachments referred to or identified as being attached or enclosed is being deposited with the United States Postal Service as First Class Mail on the date of deposit shown below with sufficient postage and in an envelope addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

August 10, 2005
Date


Signature

Aubry Blackburn
Name (Type/Print)

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In compliance with the duty to disclose information material to patentability pursuant to 37 C.F.R. § 1.56, it is respectfully requested that this Supplemental Information Disclosure Statement be entered and the documents listed on attached Form PTO/SB/08 be considered by the Examiner and made of record. Copies of the listed documents are enclosed pursuant to 37 C.F.R. § 1.98(a).

Other Documents

ACSADI et al., Adenovirus-mediated gene transfer into striated muscles, J Mol Med, 1995, pp. 165-80, Vol. 73.

BERG et al., High-Level Expression of Secreted Proteins from Cells Adapted to Serum-Free Suspension Culture, BioTechniques, 1993, pp. 972-78, Vol. 14, No. 6.

COLBY et al., Adenovirus Type 5 Virions Can Be Assembled In Vivo in the Absence of Detectable Polypeptide IX, Journal of Virology, Sept. 1981, pp. 997-80, Vol. 39, No. 3.

GALLIMORE et al., Transformation of Human Embryo Retinoblasts with Simian Virus 40, Adenovirus and ras Oncogenes, Anticancer Research, 1986, pp. 499-508, Vol. 6.

GenBank Accession No. X02996.1, 1993, "Adenovirus type 5 left 32% of the genome."

GRAHAM et al., Size and location of the transforming region in human adenovirus type 5 DNA, Nature, October 25, 1974, pp. 687-91, Vol. 251.

HITT et al., Construction and Propagation of Human Adenovirus Vectors, Cell Biology, 1994, pp. 479-90, Vol. 1, Academic Press, San Diego, California.

MARCK, CHRISTIAN, 'DNA Strider': a 'C' program for the fast analysis of DNA and protein sequences on the Apple Macintosh family of computers, Nucleic Acids Research, 1988, pp. 1829-36, Vol. 16, No. 5.

MITANI et al., Rescue, propagation, and partial purification of a helper virus-dependent adenovirus vector, Proc. Natl. Acad. Sci., April 1995, pp. 3854-58, Vol. 92.

NCBI database excerpt: Locus AC_000008 (human adenovirus type 5)

Notice of Opposition to a European Patent by Serono International S.A. filed against Patent No. 0 833 934 (July 5, 2005).

Opposition lodged by Cevec Pharmaceuticals GmbH against European Patent 0 833 934 (July 5, 2005).

PESHTA et al., Cultivation of Mammalian Cells as Aggregates in Bioreactors: Effect of Calcium Concentration on Spatial Distribution of Viability, 1993, pp. 179-87, Vol. 41.

PRELICH et al., Functional Characterization of Thermolabile DNA-Binding Proteins That Affect Adenovirus DNA Replication, Journal of Virology, Mar. 1986, pp. 883-92, Vol. 57, No. 3.

RAO et al., The adenovirus E1A proteins induce apoptosis, which is inhibited by the E1B 19-kDa and Bcl-2 proteins, Proc. Natl. Acad. Sci., August 1992, pp. 7742-46, Vol. 89.

RHIM, JOHNG S., Development of Human Cell Lines from Multiple Organs, 2000, Annals New York Academy of Sciences, pp. 16-25.

ROWE et al., Establishment and Characterization of Hamster Cell Lines Transformed by Restriction Endonuclease Fragments of Adenovirus 5, Journal of Virology, Jan. 1984, pp. 162-70, Vol. 49, No. 1.

RULEY, H. EARL, Adenovirus early region 1A enables viral and cellular transforming genes to transform primary cells in culture, Nature, August 1983, pp. 602-06, Vol. 304.

SAMBROOK et al., Molecular Cloning -- A Laboratory Manual, 3rd edition, 2001, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York.

WHITE et al., Adenovirus E1B 19-Kilodalton Protein Overcomes the Cytotoxicity of E1A Proteins, Journal of Virology, June 1991, pp. 2968-78, Vol. 65, No. 6.

WHITE et al., Role of Adenovirus E1B Proteins in Transformation: Altered Organization of Intermediate Filaments in Transformed Cells That Express the 19-Kilodalton Protein, Molecular and Cellular Biology, Jan. 1990, pp. 120-30, Vol. 10, No. 1.

WHITE et al., Specific disruption of intermediate filaments and the nuclear lamina by the 19-kDa product of the adenovirus E1B oncogene, Proc. Natl. Acad. Sci., December 1989, pp. 9886-90, Vol. 86.

WHITE et al., The 19-Kilodalton Adenovirus E1B Transforming Protein Inhibits Programmed Cell Death and Prevents Cytolysis by Tumor Necrosis Factor alpha, Molecular and Cellular Biology, June 1992, pp. 2570-80, Vol. 12, No. 6.


WOODWORTH et al., Transformation of Differentiated Rat Hepatocytes with Adenovirus and Adenovirus DNA, Journal of Virology, Nov. 1987, pp. 3570-79, Vol. 61, No. 11.

Serial No.: 10/038,271

This Supplemental Information Disclosure Statement is filed after the mailing date of the first Office Action on the merits.

I hereby certify that each item of information contained in this Supplemental Information Disclosure Statement was first cited in any communication from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of the statement, and therefore no fee is due.

Respectfully submitted,



Allen C. Turner
Registration No. 33,041
Attorney for Applicants
TRASKBRITT, P.C.
P.O. Box 2550
Salt Lake City, Utah 84110-2550
Telephone: 801-532-1922

Date: August 5, 2005
ACT/bv

Enclosures: Form PTO/SB/08
Copy of documents cited

Document in ProLaw



PTO/SB/08B(10-03)

Approved for use through 7/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

Substitute for form 1449A/PTO

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(use as many sheets as necessary)

Sheet 1 of 2

Complete if Known

Application Number	10/038,271
Filing Date	October 23, 2001
First Named Inventor	Fallaux et al.
Group Art Unit	1632
Examiner Name	D. Nguyen
Attorney Docket Number	2578-3833 6US

NON PATENT LITERATURE DOCUMENTS


Examiner Initials *	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
		ACSADI et al., Adenovirus-mediated gene transfer into striated muscles, J Mol Med, 1995, pp. 165-80, Vol. 73.	
		BERG et al., High-Level Expression of Secreted Proteins from Cells Adapted to Serum-Free Suspension Culture, BioTechniques, 1993, pp. 972-78, Vol. 14, No. 6.	
		COLBY et al., Adenovirus Type 5 Virions Can Be Assembled In Vivo in the Absence of Detectable Polypeptide IX, Journal of Virology, Sept. 1981, pp. 997-80, Vol. 39, No. 3.	
		GALLIMORE et al., Transformation of Human Embryo Retinoblasts with Simian Virus 40, Adenovirus and ras Oncogenes, Anticancer Research, 1986, pp. 499-508, Vol. 6.	
		GenBank Accession No. X02996.1, 1993, "Adenovirus type 5 left 32% of the genome."	
		GRAHAM et al., Size and location of the transforming region in human adenovirus type 5 DNA, Nature, October 25, 1974, pp. 687-91, Vol. 251.	
		HITT et al., Construction and Propagation of Human Adenovirus Vectors, Cell Biology, 1994, pp. 479-90, Vol. 1, Academic Press, San Diego, California.	
		MARCK, CHRISTIAN, 'DNA Strider': a 'C' program for the fast analysis of DNA and protein sequences on the Apple Macintosh family of computers, Nucleic Acids Research, 1988, pp. 1829-36, Vol. 16, No. 5.	
		MITANI et al., Rescue, propagation, and partial purification of a helper virus-dependent adenovirus vector, Proc. Natl. Acad. Sci., April 1995, pp. 3854-58, Vol. 92.	
		NCBI database excerpt: Locus AC_000008 (human adenovirus type 5)	
		Notice of Opposition to a European Patent by Serono International S.A. filed against Patent No. 0 833 934 (July 5, 2005).	
		Opposition lodged by Cevac Pharmaceuticals GmbH against European Patent 0 833 934 (July 5, 2005).	

Examiner
SignatureDate
Considered

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number (optional). ² Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.



PTO/SB/08B(10-03)

Approved for use through 7/31/2006. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

Substitute for form 1449A/PTO

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(use as many sheets as necessary)

Sheet 2 of 2

Complete if Known

Application Number	10/038,271
Filing Date	October 23, 2001
First Named Inventor	Fallaux et al.
Group Art Unit	1632
Examiner Name	D. Nguyen
Attorney Docket Number	2578-3833 6UIS

NON PATENT LITERATURE DOCUMENTS

Examiner Initials *	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
		PESHTA et al., Cultivation of Mammalian Cells as Aggregates in Bioreactors: Effect of Calcium Concentration on Spatial Distribution of Viability, 1993, pp. 179-87, Vol. 41.	
		PRELICH et al., Functional Characterization of Thermolabile DNA-Binding Proteins That Affect Adenovirus DNA Replication, Journal of Virology, Mar. 1986, pp. 883-92, Vol. 57, No. 3.	
		RAO et al., The adenovirus E1A proteins induce apoptosis, which is inhibited by the E1B 19-kDa and Bcl-2 proteins, Proc. Natl. Acad. Sci., August 1992, pp. 7742-46, Vol. 89.	
		RHIM, JOHNG S., Development of Human Cell Lines from Multiple Organs, 2000, Annals New York Academy of Sciences, pp. 16-25.	
		ROWE et al., Establishment and Characterization of Hamster Cell Lines Transformed by Restriction Endonuclease Fragments of Adenovirus 5, Journal of Virology, Jan. 1984, pp. 162-70, Vol. 49, No. 1.	
		RULEY, H. EARL, Adenovirus early region 1A enables viral and cellular transforming genes to transform primary cells in culture, Nature, August 1983, pp. 602-06, Vol. 304.	
		SAMBROOK et al., Molecular Cloning -- A Laboratory Manual, 3rd edition, 2001, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York.	
		WHITE et al., Adenovirus E1B 19-Kilodalton Protein Overcomes the Cytotoxicity of E1A Proteins, Journal of Virology, June 1991, pp. 2968-78, Vol. 65, No. 6.	
		WHITE et al., Role of Adenovirus E1B Proteins in Transformation: Altered Organization of Intermediate Filaments in Transformed Cells That Express the 19-Kilodalton Protein, Molecular and Cellular Biology, Jan. 1990, pp. 120-30, Vol. 10, No. 1.	
		WHITE et al., Specific disruption of intermediate filaments and the nuclear lamina by the 19-kDa product of the adenovirus E1B oncogene, Proc. Natl. Acad. Sci., December 1989, pp. 9886-90, Vol. 86.	
		WHITE et al., The 19-Kilodalton Adenovirus E1B Transforming Protein Inhibits Programmed Cell Death and Prevents Cytolysis by Tumor Necrosis Factor alpha, Molecular and Cellular Biology, June 1992, pp. 2570-80, Vol. 12, No. 6.	
		WOODWORTH et al., Transformation of Differentiated Rat Hepatocytes with Adenovirus and Adenovirus DNA, Journal of Virology, Nov. 1987, pp. 3570-79, Vol. 61, No. 11.	

Examiner
SignatureDate
Considered

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number (optional). ² Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.